

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) An integrated circuit comprising:
a first port to receive a first signal from a first channel;
a first device, coupled to the first port, to modify a channel response of the first signal received from the first channel, the first device including a filtering device having a plurality of voltage-to-current converters and a plurality of current multipliers coupled in a plurality of stages; and
a waveform capture device, coupled to the first device, to capture a waveform of a signal modified by the first device.
2. (Currently Amended) The integrated circuit of claim 1, wherein the first device ~~comprises a filtering device and~~ further includes a sampling circuit.
3. (Original) The integrated circuit of claim 2, wherein the filtering device filters the first signal from the channel prior to the sampling circuit.

4. (Original) The integrated circuit of claim 2, wherein the sampling circuit samples the first signal from the channel prior to the filtering device.

5. (Original) The integrated circuit of claim 1, further comprising:
a second port to receive a second signal from a second channel;
a second device, coupled to the second port, to modify a channel response of the second signal received from the second channel; and
another waveform capture device, coupled to the second device, to capture a waveform of a signal modified by the second device.

6. (Currently Amended) The integrated circuit of claim [[1]] 5, wherein the ~~first~~ second device comprises a filtering device that includes a plurality of voltage-to-current converters and a plurality of current multipliers coupled in a plurality of stages.

7. (Currently Amended) The integrated circuit of claim [[6]] 1, wherein the filtering device further includes a plurality of sampling circuits to sample the signal received at the first port.

8. (Currently Amended) The integrated circuit of claim 1, wherein ~~the first device includes a~~ each of the plurality of stages, ~~each configured to provide~~ provides a separate response.

Reply to Office Action dated September 15, 2005

9. (Currently Amended) ~~The integrated circuit of claim 1~~ An integrated circuit comprising:

a first port to receive a first signal from a first channel;

a first device, coupled to the first port, to modify a channel response of the first signal received from the first channel; and

a waveform capture device, coupled to the first device, to capture a waveform of a signal modified by the first device, wherein the waveform capture device includes including a variable offset to skew a reference current.

10. (Original) The integrated circuit of claim 1, wherein the signal comprises a differential signal.

11. (Currently Amended) A chip comprising:

a processing circuit to receive a signal across a channel and perform signal processing on the signal, the processing circuit including a filtering circuit coupled in a plurality of stages, each of the stages to provide a separate response, the processing circuit to output a processed signal based on the separate responses; and

a waveform capturing device to capture a waveform of the signal based on the processed signal.

Reply to Office Action dated September 15, 2005

12. (Currently Amended) The chip of claim 11, wherein the processing circuit ~~comprises a filtering device and~~ further includes a sampling circuit.

13. (Currently Amended) The chip of claim 12, wherein the ~~filtering device~~ circuit filters the signal from the channel ~~and~~ prior to the sampling circuit.

14. (Currently Amended) The ~~integrated circuit chip~~ chip of claim 12, wherein the sampling circuit samples the signal from the channel prior to the ~~filtering device~~ circuit.

15. (Original) The chip of claim 11, wherein the processing circuit modifies a channel response of the received signal.

16. (Currently Amended) The chip of claim 11, wherein the ~~processing circuit~~ ~~comprises a filtering circuit that~~ includes a plurality of voltage-to-current converters and a plurality of current multipliers ~~coupled in a plurality of stages~~.

17. (Original) The chip of claim 16, wherein the filtering circuit further includes a plurality of sampling circuits to sample the received signal.

18. (Canceled)

19. (Currently Amended) ~~The chip of claim 11~~ A chip comprising:
a processing circuit to receive a signal across a channel and perform signal
processing on the signal, the processing circuit to output a processed signal; and
a waveform capturing device to capture a waveform of the signal based on the
processed signal, wherein the waveform capturing device includes including a variable offset to
skew a reference current.

20. (Currently Amended) A method comprising:
receiving a signal from a channel;
modifying a channel response of the received signal by performing a filtering
operation on the received signal, the filtering operation including dividing the received signal
into a plurality of stages, each stage providing a separate response; and
capturing a waveform of a signal having the modified channel response.

21. (Canceled)

22. (Currently Amended) The method of claim [[21]] 20, wherein modifying the
channel response further includes a sampling operation of the received signal.

23. (Original) The method of claim 22, wherein the filtering operation occurs prior to
the sampling operation of the received signal.

Reply to Office Action dated September 15, 2005

24. (Original) The method of claim 22, wherein the sampling operation of the received signal occurs prior to the filtering operation.

25. (Canceled)

26. (Currently Amended) The method of claim [[25]] 20, wherein each of the stages includes a voltage-to-current converter and a current multiplier.

27. (Currently Amended) The method of claim [[25]] 20, wherein the filtering operation further includes combining filtered responses.

28. (Original) The method of claim 27, wherein capturing the waveform includes sampling the combined filtered response.

29. (Currently Amended) ~~The method of claim 28~~ A method comprising:
receiving a signal from a channel;
modifying a channel response of the received signal; and
capturing a waveform of a signal having the modified channel response, wherein
~~capturing the waveform further comprises~~ by skewing a reference current.

30. (Original) The method of claim 20, further comprising:

receiving another signal across another channel;

modifying a channel response of the received another channel; and

capturing a waveform of a signal having the modified channel response.

31. (Currently Amended) An electronic system comprising:

an integrated circuit including a port to receive a signal from a channel, a processing device, coupled to the port, to modify a channel response of the signal received from the channel, and a waveform device, coupled to the processing device, to capture a waveform of a signal modified by the processing device, the processing device including a filtering device having a plurality of voltage-to-current converters and a plurality of current multipliers coupled in a plurality of stages; and

a network interface to couple the integrated circuit to a network.

32. (Currently Amended) The electronic system of claim 31, wherein the processing device ~~comprises a filtering device and~~ further includes a sampling circuit.

33. (Original) The electronic system of claim 32, wherein the filtering device filters the received signal from the channel prior to the sampling circuit.

Serial No. **10/743,349**

Docket No. **INTEL-0064**

Reply to Office Action dated September 15, 2005

34. (Original) The electronic system of claim 32, wherein the sampling circuit samples the received signal from the channel prior to the filtering circuit.